Date of issue/ Date of revision : 15/03/2023 Date of previous issue : 05/22/2017 Version : 3.0



SAFETY DATA SHEET

Calcium Nitrate S15

Section 1. Identification

Product identifier : Calcium Nitrate S15

Product type : Solid Product code : PA348X

Uses

Area of application : Industrial applications

Supplier

Supplier's details Panther Industries Inc.

Address

Street 108

Number : Internal Road Postal code : S0G 1A0

City : Davidson, Saskatchewan

Country : Canada

Telephone number : +13065672122 **Fax no.** : +13065672888

e-mail address of person responsible for this SDS

(with hours of operation)

CSR.panther@sasktel.net

Emergency telephone number

ber : US: Chemtrec 24-hours Emergency Response: 1-800-424-

9300

Canada: 24 Hour Emergency Service, Canutec 613-996-6666

National advisory body/Poison Center

Name Poisons and Drug Information Service

Telephone number +1 403 944 1414, (800) 332 1414 (Alberta only)

Section 2. Hazards identification

Classification of the substance or mixture.

ACUTE TOXICITY oral - Category 4
SERIOUS EYE DAMAGE - Category 1

GHS label elements

Hazard pictograms



Signal word : Danger

Hazard statements H302 Harmful if swallowed.

H318 Causes serious eye damage.

Precautionary statements

Prevention: P280 Wear protective gloves and eye protection.

P270 Do not eat, drink or smoke when using this

product.

P264-a Wash hands thoroughly after handling.

Response : P305 IF IN EYES:

P351 Rinse cautiously with water for several

minutes.

P338 Remove contact lenses, if present and easy

to do. Continue rinsing.

P310 Immediately call a POISON CENTER or

doctor/physician.

P301 IF SWALLOWED:

P312 Call a POISON CENTER or

doctor/physician if you feel unwell.

P330 Rinse mouth.

Section 3. Composition/information on ingredients

Substance/mixture : Mixture

Ingredient name	CAS number	% (w/w)
Calcium nitrate	10124-37-5	>= 70- <80

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

Section 4. First aid measures

Description of necessary first aid measures

Eye contact: Immediately flush eyes with running water for at least 15

minutes, keeping eyelids open. Check for and remove any

contact lenses. Get medical attention immediately.

Inhalation : If inhaled, remove to fresh air. In case of inhalation of

decomposition products in a fire, symptoms may be delayed. Get medical attention immediately. The exposed person may need to be kept under medical surveillance for 48 hours. If it is

Date of issue: 15/02/2023 Page:2/13

suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus.

Wash with soap and water. Get medical attention if irritation Skin contact

develops.

Ingestion Wash out mouth with water. If material has been swallowed

and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if you feel unwell.

Most important symptoms/effects, acute and delayed

Potential acute health effects

Eve contact Causes serious eve damage.

Inhalation May give off gas, vapor or dust that is very irritating or

corrosive to the respiratory system. Exposure to

decomposition products may cause a health hazard. Serious

effects may be delayed following exposure.

Skin contact No known significant effects or critical hazards.

Harmful if swallowed. May cause burns to mouth, throat and Ingestion

stomach.

Over-exposure signs/symptoms

Eye contact Adverse symptoms may include the following: pain, watering,

Inhalation No specific data. Skin contact No specific data.

Ingestion Adverse symptoms may include the following: stomach pains

Indication of immediate medical attention and special treatment needed, if necessary

Notes to physician Treat symptomatically. Contact poison treatment specialist

> immediately if large quantities have been ingested or inhaled. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to

be kept under medical surveillance for 48 hours.

Specific treatments No specific treatment.

Protection of first-aiders No action shall be taken involving any personal risk or without

suitable training. If it is suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. Wash contaminated clothing thoroughly

with water before removing it, or wear gloves.

See toxicological information (Section 11)

Section 5. Fire-fighting measures

Extinguishing media

Suitable extinguishing media

media

Unsuitable extinguishing

Specific hazards arising from

Use flooding quantities of water for extinction.

Do NOT use chemical extinguisher or foam or attempt to

smother the fire with steam or sand.

the chemical

The product itself is not combustible but it can support combustion, even in absence of air. On heating it melts and further heating can cause decomposition, releasing toxic

fumes containing nitrogen oxides and ammonia.

Hazardous thermal decomposition products Decomposition products may include the following materials: nitrogen oxides, metal oxide/oxides, ammonia, Avoid breathing dusts, vapors or fumes from burning materials., In case of inhalation of decomposition products in a fire, symptoms may

Date of issue: 15/02/2023 Page:3/13 be delayed.

Special protective actions for fire-fighters

Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.

Special protective equipment for fire-fighters

Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full

face-piece operated in positive pressure mode.

Remark : Non-explosive.

Section 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment (see Section 8).

For emergency responders

If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".

Environmental precautions

Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

Methods and materials for containment and cleaning up

Small spill

: Move containers from spill area. Avoid dust generation. Using a vacuum with HEPA filter will reduce dust dispersal. Place spilled material in a designated, labeled waste container. Dispose of via a licensed waste disposal contractor.

Large spill

Move containers from spill area. Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Avoid dust generation. Do not dry sweep. Vacuum dust with equipment fitted with a HEPA filter and place in a closed, labeled waste container. Dispose of via a licensed waste disposal contractor. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

Section 7. Handling and storage

Precautions for safe handling

Protective measures

Put on appropriate personal protective equipment (see Section 8). Do not get in eyes or on skin or clothing. Do not ingest. If during normal use the material presents a respiratory hazard, use only with adequate ventilation or wear appropriate respirator. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product

Date of issue : 15-02-2023 Page:4/13

Advice on general occupational hygiene

residue and can be hazardous. Do not reuse container.
Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed.
Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

Conditions for safe storage, including any incompatibilities

Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Store locked up. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. Keep away from: organic materials, oil and grease.

Section 8. Exposure controls/personal protection

Control parameters

Occupational exposure limits : None.

Appropriate engineering controls

If user operations generate dust, fumes, gas, vapor or mist, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits.

Environmental exposure controls

Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

Individual protection measures

Hygiene measures

: A washing facility or water for eye and skin cleaning purposes should be present. Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Wash contaminated clothing before reusing.

Eye/face protection

Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts.chemical splash goggles and/or face shield.lf inhalation hazards exist, a full-face respirator may be required instead.

Recommended: Tightly-fitting goggles,

Skin protection

Hand protection

Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. For general applications, we recommend gloves with a thickness typically greater than 0.35 mm. It should be

Date of issue: 15-02-2023 Page:5/13

emphasized that glove thickness is not necessarily a good predictor of glove resistance to a specific chemical, as the permeation efficiency of the glove will be dependent on the

exact composition of the glove material.

> 8 hours (breakthrough time): Protective gloves should be

worn under normal conditions of use.

Body protection Personal protective equipment for the body should be selected

based on the task being performed and the risks involved.

Other skin protection : Appropriate footwear and any additional skin protection

measures should be selected based on the task being

performed and the risks involved and should be approved by a

specialist before handling this product.

Respiratory protectionIn case of inadequate ventilation wear respiratory protection.

Recommended

Personal protective equipment :

(Pictograms)







Section 9. Physical and chemical properties

Appearance

Physical state Solid

Color : White., Brown.,
Odor : Odorless.
Odor threshold : Not determined.

pH 5.5 - 7.5 [Conc.: 105 g/l]

Melting/freezing point : 400 °C

Boiling/condensation point
Sublimation temperature
Flash point
Evaporation rate
Flammability (solid, gas)

Not determined.
Not determined.
Not determined.
Not determined.
Non-flammable.

Lower and upper explosive

(flammable) limitsUpper: Not determined.Vapor pressure: Not determined.Bulk density: 1,000 kg/m3

Relative density : Not determined.

Solubility Easily soluble in the following materials:

cold water

Partition coefficient: n-

octanol/water

Not determined.

Auto-ignition temperature Not determined.

Decomposition temperature

Not determined.

Viscosity

Dynamic: Not determined. **Kinematic:** Not determined.

Lower: Not determined.

Explosive properties : Non-explosive.

Oxidizing properties : None

Date of issue: 15-02-2023 Page:6/13

Calcium Nitrate S15

Section 10. Stability and reactivity

Reactivity : No specific test data related to reactivity available for this

product or its ingredients.

Chemical stability The product is stable.

Possibility of hazardous

reactions

Under normal conditions of storage and use, hazardous

reactions will not occur.

Conditions to avoid : Avoid contamination by any source including metals, dust and

organic materials.

Incompatible materials : alkalis combustible materials, reducing materials, organic

materials, Acids

Hazardous decomposition

products

Under normal conditions of storage and use, hazardous

decomposition products should not be produced.

Section 11. Toxicological information

Information on toxicological effects

Acute toxicity

Product/ingredie nt name	Method	Species	Result	Exposure	References
Calcium nitrate					v.
Ï	OECD 423	Rat -	500 mg/kg	Not	CSR
	LD50 Oral	Female		applicable.	
	OECD 402	Rat	2,000 - 5,000	Not	
	LD50 Dermal		mg/kg	applicable.	

Conclusion/Summary : Harmful if swallowed.

Irritation/Corrosion

Product/ingredient	Method	Species	Result	Exposure	References
name					
	OECD 405 Eyes	Rabbit	Severe irritant	24 - 72 h	CSR

Conclusion/Summary

Skin No known significant effects or critical hazards.

Eyes Causes serious eye damage.

Respiratory: No known significant effects or critical hazards.

Sensitization

Conclusion/Summary

SkinSkin

No known significant effects or critical hazards.

No known significant effects or critical hazards.

Date of issue : 15 -02-2023 Page:7/13

Mutagenicity

Conclusion/Summary No known significant effects or critical hazards.

Carcinogenicity

Conclusion/Summary: No known significant effects or critical hazards.

Reproductive toxicity

Conclusion/Summary: No known significant effects or critical hazards.

Specific target organ toxicity (single exposure)

No known significant effects or critical hazards.

Specific target organ toxicity (repeated exposure)

No known significant effects or critical hazards.

Aspiration hazard

No known significant effects or critical hazards.

Information on the likely

routes of exposure:

Not available.

Potential acute health effects

Eye contact : Causes serious eye damage.

Inhalation : May give off gas, vapor or dust that is very irritating or

corrosive to the respiratory system. Exposure to

decomposition products may cause a health hazard. Serious

effects may be delayed following exposure.

Skin contactNo known significant effects or critical hazards.

Ingestion : Harmful if swallowed. May cause burns to mouth, throat and

stomach.

Symptoms related to the physical, chemical and toxicological characteristics

Eye contact Adverse symptoms may include the following: pain, watering,

redness

Inhalation : No specific data.

Skin contact : No specific data.

Ingestion : Adverse symptoms may include the following: stomach pains

Delayed and immediate effects and also chronic effects from short and long term exposure

Short term exposure

Potential immediate effects : Not available.
Potential delayed effects : Not available.

Long term exposure

Potential immediate effects : Not available.
Potential delayed effects : Not available.

Potential chronic health effects

Product/ingredient name	Method	Species	Result	Exposure	References
Calcium nitrate					
	OECD 407	Rat	> 1,000	28 days	CSR

Date of issue: 15-02-2023 Page:8/13

Calcium	Nitrate S15
---------	-------------

Sub-acute NOAEL	mg/kg	
Oral		

Carcinogenicity : No known significant effects or critical hazards.

Mutagenicity : No known significant effects or critical hazards.

Fertility effects : No known significant effects or critical hazards.

Developmental effects : No known significant effects or critical hazards.

Effects on or via lactation : No known significant effects or critical hazards.

Other effects : No known significant effects or critical hazards.

Over-exposure signs/symptoms

Eye contact : Adverse symptoms may include the following: pain, watering,

redness

Inhalation: No specific data.Skin contact: No specific data.

Ingestion : Adverse symptoms may include the following: stomach pains

Numerical measures of toxicity

Acute toxicity estimates

Route	ATE value
Oral	657.6 mg/kg

Section 12. Ecological information

Toxicity

Product/ingred ient name	Method	Species	Result	Exposure	References
Calcium nitrate					
	OECD 203 Acute LC50 Fresh water	Fish	1,378 mg/l	96 h	CSR
	Acute LC50 Fresh water	Daphnia	490 mg/l	48 h	CSR
	Acute EC50 Salt water	Algae	> 1,700 mg/l	10 d	CSR
	OECD 209 Chronic NOEC Activated sludge	Activated sludge	180 mg/l	180 min	CSR

Conclusion/Summary No known significant effects or critical hazards.

Persistence and degradability

Conclusion/Summary No known significant effects or critical hazards.

Bioaccumulative potential

Conclusion/Summary: No known significant effects or critical hazards.

Date of issue : 5-02-2023 Page:9/13

Mobility in soil

Soil/water partition coefficient (KOC)

Not available.

Mobility

Not available.

Other adverse effects

No known significant effects or critical hazards.

Section 13. Disposal considerations

Product

Methods of disposal

The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

Section 14. Transport information

Regulation: UN Class	
14.1 UN number	Not regulated.
14.2 UN proper shipping name	Not applicable.
14.3 Transport hazard class(es)	Not applicable.
14.4 Packing group	Not applicable.
14.5 Environmental hazards	No.
Additional information Environmental hazards	: No.

Regulation: IMDG	
14.1 UN number	Not regulated.
14.2 UN proper shipping name	Not applicable.
14.3 Transport hazard class(es)	Not applicable.
14.4 Packing group	Not applicable.
14.5 Environmental hazards	No.
Additional information	
Marine pollutant	: No.

Date of issue: 15-02-2023

Regulation: IATA	
14.1 UN number	Not regulated.
14.2 UN proper shipping name	Not applicable.
14.3 Transport hazard class(es)	Not applicable.
14.4 Packing group	Not applicable.
14.5 Environmental hazards	No.
Additional information <u>Marine pollutant</u>	: No.

Regulation: DOT Classification	
14.1 UN number	Not regulated.
14.2 UN proper shipping name	Not applicable.
14.3 Transport hazard class(es)	Not applicable.
14.4 Packing group	Not applicable.
14.5 Environmental hazards	No.
Additional information	
Marine pollutant	: Not available.

Regulation: TDG Class	
14.1 UN number	Not regulated.
14.2 UN proper shipping name	Not applicable.
14.3 Transport hazard class(es)	Not applicable.
14.4 Packing group	Not applicable.
14.5 Environmental hazards	No.
Additional information	162
Not applicable.	
Environmental hazards	: No.

14.6 Special precautions for

user

Transport within user's premises: Ensure that persons transporting the product know what to do in the event of

an accident or spillage.

IMSBC

Bulk cargo shipping name : CALCIUM NITRATE FERTILIZER

Class : Not applicable.

Group C

Marpol V Non-HME

Transport in bulk according to

IMO instruments

Not applicable.

Section 15. Regulatory information

Date of issue : **5**-02-202**3** Page:11/13

Calcium Nitrate S15

Canadian lists

Canadian NPRI : The following components are listed: Calcium nitrate

Ammonium nitrate

CEPA Toxic substancesNone of the components are listed.

Inventory list

Philippines inventory (PICCS): All components are listed or exempted.

New Zealand Inventory of Chemicals (NZIoC): All components are listed or exempted.

Korea inventory: All components are listed or exempted. **Japan inventory:** All components are listed or exempted.

China inventory (IECSC): All components are listed or exempted.

Australia inventory (AICS): All components are listed or exempted.

Canada inventory: All components are listed or exempted.

Malaysia Inventory (EHS Register): All components are listed or exempted.

Taiwan Chemical Substances Inventory (TCSI): All components are listed or exempted.

United States inventory (TSCA 8b): All components are listed or exempted. EC INVENTORY (EINECS/ELINCS): All components are listed or exempted.

Canada: All components are listed or exempted.

Section 16. Other information

Key to abbreviations ADN = European Provisions concerning the International Carriage of

Dangerous Goods by Inland Waterway

ADR = The European Agreement concerning the International Carriage of

Dangerous Goods by Road ATE = Acute Toxicity Estimate BCF = Bioconcentration Factor

bw = Body weight

GHS = Globally Harmonized System of Classification and Labelling of

Chemicals

IATA = International Air Transport Association

IBC = Intermediate Bulk Container

IMDG = International Maritime Dangerous Goods

LogPow = logarithm of the octanol/water partition coefficient

MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution) RID = The Regulations concerning the International Carriage of Dangerous

Goods by Rail

SUSMP - Standard Uniform Schedule of Medicine and Poisons

SGG = Segregation Group UN = United Nations

Procedure used to derive the classification

Classification	Justification
ACUTE TOXICITY oral - Category 4	Calculation method
SERIOUS EYE DAMAGE - Category 1	Calculation method

Key data sources EU REACH ECHA/IUCLID5 CSR.

National Institute for Occupational Safety and Health, U.S. Dept. of Health, Education, and Welfare, Reports and Memoranda Registry of Toxic Effects of Chemical

Substances.

Sphera Solutions Inc., 4777 Levy Street, St Laurent, Quebec

HAR 2P9, Canada.

Date of issue : 15-02-2023 Page:12/13

Calcium Nitrate S15

History

Date of printing : 10/26/2020 Date of issue/Date of revision : 10/06/2020 Date of previous issue : 05/22/2017

Revision commentsThe following sections contain new and updated information:

3, 8, 11, 12.

Version : 3.0

Prepared by : Yara Chemical Compliance (YCC).

Indicates information that has changed from previously issued version.

Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.

Date of issue: 15-02-2023 Page:13/13